



BLOW MOLDING SPARE PARTS

FOR MACHINES BRANDED KRONES*




Our partners :



Covirep Sa



*UM is not a license of Krones nor have UM parts been approved or authorized by Krones.



SECTIONS

Click on this logo for more information 

Entry wheel

 Entry guide	4
 Entry wheel	6

Oven

 Cooling shield	8
 Lamp	9
 Oven chain C2 & C3	10
 Oven exit guide	14
 Spindle tip/Gripper	16

Transfer wheel

 Gripper/clamp	18
 Transfer arm C2	19

Blowing wheel

 Blow nozzle bell	22
 Cam	23
 Molds	24
 Mold hanger	25
 Stretch rod	26
 Stretch rod cylinder	27
 Valve	28

Exit wheel


 Exit guide	31
--	----


Other

 Other parts available	32
---	----

SECTIONS

Click on the desired section to see the parts available






ENTRY WHEEL

 Entry guide

 Entry wheel


4

6



ENTRY GUIDE

Please confirm the dimension on the image bellow



Dimensions are the same : ☐

1. Center-to-center (40.4mm) :

Same size : ☐ Other size : _____

2. Hole diameter (Ø12mm) :

Same size : ☐ Other size : _____

3. Hole diameter (Ø9.5mm) :

Same size : ☐ Other size : _____

4. Center-to-center (252.1mm) :

Same size : ☐ Other size : _____

5. Dimension (10.5mm) :

Same size : ☐ Other size : _____

6. Center-to-center (17.4mm) :

Same size : ☐ Other size : _____

7. Thickness (8mm) :



Same size : ☐ Other size : _____

8. Does your guide have an under guide ?

Yes : ☐ No : ☐

ENTRY GUIDE

Please confirm the dimension on the image bellow



Dimensions are the same : ☐

1. Center-to-center (16.5mm) :

Same size : ☐

Other size : _____

2. Dimension (11.8mm) :

Same size : ☐

Other size : _____

3. Hole diameter (Ø12mm) :

Same size : ☐

Other size : _____

4. Hole diameter (Ø9.5mm) :

Same size : ☐

Other size : _____

5. Width of guide (64mm) :

Same size : ☐

Other size : _____

6. Center-to-center (45mm) :

Same size : ☐

Other size : _____

7. Center-to-center (249.4 mm) :

Same size : ☐

Other size : _____

8. Thickness (8mm) :

Same size : ☐

Other size : _____


9. Does your guide have an under guide ?

Yes : ☐

No : ☐

ENTRY WHEEL

Please confirm the dimensions on the image bellow



Dimensions are the same : ☐

1. External diameter (ø362.5mm) :

Same size : ☐ Other size : _____

2. Slot width (18mm) :

Same size : ☐ Other size : _____

3. Internal diameter (ø200mm) :

Same size : ☐ Other size : _____

4. Thickness (10mm) :

Same size : ☐ Other size : _____

5. Does your entry wheel have an under guide ?

Yes : ☐ No : ☐

6. How many teeth on your wheel (24 teeth) ?

Same number : ☐ Other number : _____



OVEN

-  Cooling shield
-  Lamp
-  Oven chain C2 & C3
-  Oven exit guide
-  Spindle tip/Gripper


8

9

10

14


16




COOLING SHIELD

Please select the correct design
of your actual cooling shield :


FA




**2 identical
shafts**




FB




**2 different
shafts**





FC



**2 threaded
shafts**






Please indicate the following dimensions :



2- INSIDE DIA.

1. The center-to-center dimension between the
shaft of your cooling shield :

17 mm 29 mm 39 mm Other size : _____



2. The inside diameter of your actual cooling
shield (mm) ? : _____



LAMP



Benefits

- High efficiency: reduced running cost
- Life 5000+ hours: reduced replacement cost
- Most energy-efficient reflector coating
- Compatible with all machine models
- Clear or ceramic coated
- Clear lamps compatible with external reflectors
- 1200W – 3000W

UM #	Description	Known OEM number
LAMP2351200155BFH1	Oven lamp 1200W, 235V, 155mm	
LAMP2351600155BFH1	Oven lamp 1600W, 235V, 155mm	
LAMP4002500280BH	Oven lamp 2500W, 400V, 280mm	
LAMP4003000280BH	Oven lamp 3000W, 400V, 280mm	

OVEN CHAIN C2

Benefits

Improved solution available
Decrease spindle change time by **70 %**
Increase machine global efficiency (by reducing spindle change time)

OEM equivalent, high quality
Fully inspected unit and pitch
Plug and play unit
All combinations are available with personalized rebuilt kits
Fully compatible with OEM components



Rebuilt parts



 Rebuilt kit oven chain



 Rebuilt kit oven spindle

Standard components



 Oven chain link



 Oven spindle

OVEN CHAIN C2

Standard components



UM #	Description	Known OEM number	UM #	Description	Known OEM number
UMKN-0900843176	C2 oven chain link assy OEM design	0900843176	UMKN-0900843176KR	Complete rebuilt parts oven chain link C2	
UMKN-OVEN-IMP-CHAIN-C2	Improved C2 oven chain link	0900843176			



UM #	Description	Known OEM number	UM #	Description	Known OEM number
UMKN-2786327651	C2 oven spindle with central spacer (height = 12 mm)	2786327651	UMKN-2786327653KR	Complete rebuilt parts oven spindle C2	
UMKN-2786327653	C2 oven spindle with central spacer (height = 22 mm)	2786327653			

OVEN CHAIN C3



Benefits

- OEM equivalent, high quality
- Fully inspected unit and pitch
- Plug & play unit
- All combinations are available with personalized rebuilt kits
- Fully compatible with OEM components

Rebuilt parts



i Rebuilt kit oven chain



i Rebuilt kit oven spindle

Standard components



i Oven chain link



i Oven spindle

OVEN CHAIN C3

Standard components



UM #	Description	Known OEM number
UMKN-0903542009	C3 oven chain link OEM design Pitch 36 mm	0903542009, 0-903-54-200-9
UMKN-0902283441	C3 oven chain link OEM design Pitch 40 mm	0902283441, 0-902-28-344-1
UMKN-0901687271	C3 oven chain link OEM design Pitch 40 mm	0901687271, 0-901-68-727-1



UM #	Description	Known OEM number
UMKN-0902859955	C3 oven spindle/for 36 mm pitch link	0902859955, 0-902-85-995-5
UMKN-0902860065	C3 oven spindle/for 36 mm pitch link * 50 mm chain pitch also available	0902860065, 0-902-86-006-5
UMKN-0901853942	C3 oven spindle/for 40 mm pitch link	0901853942, 0-901-85-394-2
UMKN-0901853946	C3 oven spindle/for 40 mm pitch link	0901853946, 0-901-85-394-6




UM #	Description	Known OEM number
UMKN-0901687271KR	Complete rebuilt parts oven chain link C3	
UMKN-0903542009KR	Complete rebuilt parts oven chain link C3	
UMKN-0902283441KR	Complete rebuilt parts oven chain link C3	



UM #	Description	Known OEM number
UMKN-0901853942KR	Complete rebuilt parts oven spindle C3	
UMKN-0901853946KR	Complete rebuilt parts oven spindle C3	
UMKN-0902859955KR	Complete rebuilt parts oven spindle C3	
UMKN-0902860065KR	Complete rebuilt parts oven spindle C3	

OVEN EXIT GUIDE

A



1. Do you have an oven exit guide ?

Yes :

☐

No :

☐

2. Does your guide is a single guide or two-sector guide like the one on the picture A ?

Single :

☐

Two-sector :

☐

B



3. If you have a single guide, does your guide look like the one on the pictures B ?

Yes :

☐


No :

☐

4. If it doesn't please send us pictures of your guide.

OVEN EXIT GUIDE

If you have the same guide, please confirm the dimension on the image bellow



Dimensions are the same : ☐

1. Width of guide (36.4mm) ?

Same size : ☐ Other size : _____

3. Center-to-center (ø58.6mm) ?

Same size : ☐ Other size : _____

2. Center-to-center (42mm) ?

Same size : ☐ Other size : _____

4. Hole diameter (ø12mm) ?

Same size : ☐ Other size : _____

5. Dimension (13.5mm) ?

Same size : ☐ Other size : _____

6. Dimension (31.5mm) ?


Same size : ☐ Other size : _____

SPINDLE TIP/GRIPPER


Please select the correct design
of your actual spindle tips :

Please write the tip length :



FA

☐

FB

☐

FC

☐

Tip length →

Tip length : _____



TRANSFER WHEEL

-  Gripper/clamp
-  Transfer arm C2

18
19

GRIPPER/CLAMP





FA

☐

FB

☐

FC

☐

Please indicate the following dimensions :

Dimension A :

24 mm

25 mm

30 mm

Other size : _____

☐☐☐

Dimension B :

1.3 mm

4.3 mm

Other size : _____

☐☐

Dimension C :

61.75 mm

62.4 mm

75 mm

Other size : _____

☐☐☐

Dimension D :

5.2 mm

5.5 mm


6.35 mm

Other size : _____

☐☐☐

18

TRANSFER ARM C2



Benefits

- OEM equivalent, high quality
- Fully inspected unit and pitch
- Plug and play unit
- Fully compatible with OEM components

Standard components



Transfer arm head
0099-502-60-29




Central pin for transfer gripper
UMKN-1786273830



Support clamp gripper
UMKN-1786272900



Transfer head bolt
UMKN-1786272890



Transfert arm support ass'y
UMKN-1786272150


UM #	Description	Known OEM number
UMKN-0901104012	Transfer arm C2 (no grippers/clamps)	0901104012

TRANSFER ARM C2

Standard components



Bolt
UMKN-1786272190



Spring support
UMKN-1786273550



Spring
UMKN-1099047770



Cam follower
UMKN-0403411030




Spring
UMKN-1099052360



Slotted nut
UMKN-0900011905




BLOWING WHEEL


 Blow nozzle bell	22
 Cam	23
 Molds	24
 Mold hanger	25
 Stretch rod	26
 Stretch rod cylinder	27
 Valve	28

BLOW NOZZLE BELL



FA

☐


FB

☐


FC

☐


Please provide the following information :

1. What is the size of the external diameter :

Ø48 mm

☐

Ø57 mm

☐

Other size : _____

2. What is the size of the thread inside diameter :

Ø40.5 mm

☐

Ø54 mm

☐

Other size : _____


3. Does your blow nozzle seal are in :

Metal

☐


Plastic

☐




CAM

UM #	Description	Known OEM number
UMKN-0-901-288-779	Cam	0901288779, 0-901-288-779



MOLDS




Please fill the form below to confirm the molds you need.


HOW MANY MOLDS ARE NEEDED ?

MOLD DETAILS

Preform drawings

☐

Bottle drawings & 3D

☐

Pictures

☐

If you need to develop a new bottle, check this box : ☐

For a precise quotation, please fill the technical mold information below :

[PDF - CLICK HERE](#)



MOLD HANGER



UMKN-1786332370

Benefits

- Better aluminum grade than OEM
- Stainless steel avaialble

UM #	Description	Known OEM number
UMKN-0900995672	Left mold carrier	0900995672
UMKN-0901798326	Mold shell	0901798326
UMKN-1786332370	Mold hanger	1786332370




STRETCH ROD

Standard components




Stretch rod with holder
(14mm/8mm)
0278-602-51-05



Stretch rod with holder
(14/10 mm)
UMKO-1786332312

STRETCH ROD CYLINDER



Standard components

Benefits

- Drop-in replacement
- Insensitivity to contamination and pressure variations
- Repeatable response time
- High flow capacity of the valve to ensure fast retract or the stretching cam
- Cost savings: increased production, reduced labor cost and fewer replacement parts
- ISO compatible with MAC pilot valves



Cylinder wear parts kit no. 698994
UMKN-0901034005

UM #	Description	Known OEM number
UMKN-STRETCHRODCYL-W/P	Stretch rod cylinder	0902525699

VALVE TYPE S



Rebuilt parts



Solenoid valve c
contiform S body
0099-007-03-00



Piston & Cylinder
guide assy P1
UMKN-0901087257



Piston & Cylinder guide
assy P2 /EXH
UMKN-0901087259



Piston 3/2 NC
UMK-VSP152129
UMKN-0902082681



Pilot 3/2 NO
UMK-VSP152130
UMKN-0902082684

Standard components




Adaptor block
C2S - NO - Blue
0099-602-90-13




Adaptor block
C2S - NC - Red
0099-602-90-14

UM #	Description	Known OEM number
0099-602-90-24	Complete valve exhaust S (valve, piston, cylinder guide and pilot valve block adapter for MAC)	
0099-602-90-25	Complete valve P1 S valve (valve, piston, cylinder guide and pilot valve block adapter for MAC)	
0099-602-90-26	Complete valve P2 S valve (valve, piston, cylinder guide and pilot valve block adapter for MAC)	

VALVE TYPE SK



NC adaptor block
0099-007-01-14



NO adaptor block
0099-007-01-13



Piston & Cylinder
guide (P2 & EXH)
0099-007-01-10



Piston & Cylinder
guide (P1)
0099-007-01-09

Standard components



Valce contiform S body
0099-007-01-00


UM #	Description	Known OEM number
0099-602-90-27	Complete exhaust valve (contiform SK)	
0099-602-90-28	Type SK complete P1 valve (contiform SK)	
0099-602-90-29	Type SK complete P2 valve (contiform SK)	



EXIT WHEEL


 Exit guide

31



EXIT GUIDE

Please send us pictures of the exit of your machine



Picture from the top (as the picture on the left)

Picture from underneath

Does your exit guide adjustable ?

Yes : ☐ No : ☐

OTHER PARTS AVAILABLE

UM #	Description	Known OEM equivalent number	UMKN-0900674671	Nozzle PCO-1810	0900674671
			UMKN-2786327653KR3	Complete rebuilt parts oven spindle	2786327653
			UMKN-0900991216R	Rebuilt gasket	900991216R
			UMKN-1800470914R	Rebuil tubing L=7	800470914R
UMKN-0900857261	Control device	900857261	UMKN-0902155286R	Rebuilt low-head button	902155286R
UMKN-1788330130	Shaft	1788330130	UMKN-0901437573R	Rebuilt support 50 mm	901437573R
UMKN-0569900006	Washer/ring/disk	0569900006	UMKN-0901853195R	Rebuilt mandrel	901853195R
UMKN-1788330140	Shaft	1788330140	UMKN-0901688208R	Rebuilt timing belt sprocket	901688208R
UMKN-1786272650	Preform holder body	1786272650	UMKN-0902082766R	Rebuilt sleeve	902082766R
UMKN-0900966023	Collar	0900966023	UMKN-0901859832R	Rebuilt washer/ring/disk	901859832R
UMKN-0900784858M	Lever	0900784858	UMKN-0901479425R	Rebuilt sleeve	901479425R
UMKN-0900784857M	Lever	0900784857	UMKN-0901503113R	Rebuilt blot	901503113R
UMKN-1786326930R	Washer/ring/disk - rebuilt	1786326930	UMKN-0901458399R	Rebuilt bushing	901458399R
UMKN-0900842495	Wheel shaft	0900842495	UMKN-0902082888R	Rebuilt belt pulley	902082888R
UMKN-8070252646	Right transfert gripper	8070252646	UMKN-0902061501R	Rebuilt thrust bearing	902061501R
UMKN-8070252645	Left transfert gripper	8070252645	UMKN-0902082766	Sleeve	0902082766
UMKN-0902575721	Right transfert gripper	0902575721	UMKN-0902082888	Belt pulley	0902082888
UMKN-0902575720	Left transfert gripper	0902575720	UMKN-0900711314M	Ball support	0900711314
UMKN-0901203314KR	Rebuilt kit with seals	0901203314	UMKN-0901667099	Stretch rod guide assy	0901667099
UMKN-1131520103	Switching Pin	1131520103	UMKN-0901859832	Washer/ring/disk	0901859832
UMKN-1131520680	Guide rod	1131520680	UMKN-0901688208	Timing belt sprocket	0901688208
UMKN-1126500793	Gaz needle	1126500793	UMKN-0901479425	Sleeve	0901479425
UMKN-1131520830	Flanged bushing	1131520830	UMKN-0901503113	Bolt	0901503113
UMKN-0902283451R	C3 Chain link rebuilt	902283451R	UMKN-0902061501	Thrust bearing	0902061501
UMKN-0902283073R	Spindle C3 (50 mm) lower - rebuilt	902283073R	UMKN-0900730313M	Stretching plastic slide cam follower	0900730313
UMKN-0902283075R	Spindle C3 (50 mm) upper - rebuilt	902283075R	UMKN-2786327653KR2	Complete rebuilt parts oven spindle	2786327653
UMKN-0901437573	Support/Bracket	0901437573	UMKN-0903190715M	Wheel	0903190715
UMKN-0901550418	Chain link T50	0901550418	UMKN-0903190710	Shaft	0903190710
UMKN-0901680528	Shaft	0901680528	UMKN-1786325570M	Support holder	1786325570
UMKN-0902155286	Low-head button	0902155286	UMKN-0900377022	Oven chain replacements parts (wheel without bearing)	0900377022
UMKN-1800470914	Tubing L=7	1800470914	UMKN-0900722537	Anti-Rotation device	0900722537
UMKN-0950000023	Small seal	0950000023	UMKN-0900843069	Track roller	0900843069
UMKN-0902438837	Gripper left	0902438837	UMKN-0900966245	Preform holder assy	0900966245
UMKN-0902438839	Gripper right	0902438839	UMKN-0950000022	Seal	0950000022
UMKN-0902283451	Complete chain Link C3 50 mm	0902283451	UMKN-1800204888	Spindle cooling shield	1800204888
UMKN-0900991216	Gasket	0900991216			

UMKN-1070250761	Left axle/shaft	1070250761	UMKN-1018321180	Ring	1018321180
UMKN-1070250771	Right axle/shaft	1070250771	UMKN-1018320580	Cam roller (plastic)	1018320580
UMKN-1117506-007	Rebuilt air distributor (DZA 280 K-7)	117506-007	UMKN-1070252510	Gripper	1070252510
UMKN-1322500330	Corrugated teflon PTFE rod end connector	1322500330	UMKN-1070252500	Gripper	1070252500
UMKN-1780500670	Stretch rod bushing	1780500670	UMKN-0901853195	Mandrel	0901853195
UMKN-P03A00333403	Anti-rotation device (UMA-26.7)	P03A00333403	UMKN-0901951369 (A)	Rubber seal centering cup	0901951369
UMKN-KR1786334430	Station main shaft	1786334430	UMKN-9107239392	Left clamp	9107239392
UMKN-0900866527	Oven chain wheel	0900866527	UMKN-9107239393	Right clamp	9107239393
UMKN-0901837483	Cooling shield assy PCO 1881	0901837483	UMKN-1099050900	Spring for gripper	1099050900
UMKN-0901203314	Piston and cylinder guide assy for flush valve	0901203314	UMKN-0900567351	Chain link	0900567351
UMKN-0901896362	Left clamp	0901896362	UMKN-0901705604	Shaft/Axle	0901705604
UMKN-0901896363	Right clamp	0901896363	UMKN-1099040400	Pressure spring	1099040400
UMKN-1018320580	Cam follower	1018320580	UMKN-0901064650	Spring	0901064650
UMKN-0902140816	Oven chain gripper 26 mm	0902140816	UMKN-0900947954 (A)	Seal 42 x 7 x 7 gasket - round high pressure	0900947954
UMKN-8070252914	Right clamp lever	8070252914	UMKN-0903142729	Anti-rotation knife	0903142729
UMKN-8070252915	Left clamp lever	8070252915	UMKN-2786329730	Grippers/Spindle PCO 1881 C2	2786329730
UMKN-1563080151	Clamp lever guide	1563080151	UMKN-1786326930	Washer	1786326930
UMKN-8070252718	Right clamp assy	8070252718	UMKN-1786324541	Spacer	1786324541
UMKN-8070252717	Left clamp assy	8070252717	UMKN-0900623419	Spacer	0900623419
UMKN-8070253194	Right clamp assy	8070253194	UMKN-1099047740	Spring	1099047740
UMKN-8070253193	Left Clamp assy	8070253193	UMKN-0901837420	Cooling shield	0901837420
UMKN-8900040456	Guide plate	8900040456	UMKN-0901405981	Hammer SK	0901405981
UMKN-1800340993	Spacer	1800340993	UMKN-1786323191	Spindle sprocket	1786323191
UMKN-1563080160	Base plate	1563080160	UMKN-2786277271	Control device	2786277271
UMKN-0900785507	Spring for filler gripper	0900785507	UMKN-0901041642	Spindle bearing small	0901041642
UMKN-0900947954	Seal 42 x 7 x 7 gasket - round high pressure	0900947954	UMKN-1786272190	Shaft guide spring	1786272190
UMKN-0901807080	Right side filling finger PCO 1881	0901807080	UMKN-1786273550	Spring support	1786273550
UMKN-0901807081	Left side filling finger PCO 1881	0901807081	UMKN-0900623507	Contact piece	0900623507
UMKN-0900963166	Preform gripper	0900963166	UMKN-0902737075	Cooling shield	0902737075
UMKN-0901169252	Thrust bearing	0901169252	UMKN-1780331810	Hammer	1780331810
UMKN-0900785507	Spring	0900785507	UMKN-1800205869	Preform holder head cap	1800205869
UMKN-0902572296	Clamp right assy	0902572296	UMKN-1800205857	Preform holder head body	1800205857
UMKN-0902572295	Clamp left assy	0902572295	UMKN-1786324550	Centring unit	1786324550
UMKN-0902385954	Blower krones C3 gripper left	0902385954	UMKN-1099047770	Spring	1099047770
UMKN-0902385955	Blower krones C3 gripper right	0902385955	UMKN-0901213237	Shaft	0901213237
UMKN-1018321062	Rod guide (D=16.0 / L=259.0)	1018321062	UMKN-0900921749	Washer	0900921749
UMKN-1018321250	Centering bolt	1018321250	UMKN-0403411621	Cam follower	0403411621
UMKN-1018321100	Bush	1018321100	UMKN-1099052360	Spring	1099052360
UMKN-1018321140	Ring	1018321140	UMKN-1786272890	Shaft	1786272890

UMKN-0901169898	Lever	0901169898
UMKN-0902515010	Clamp left 1810	0902515010
UMKN-0902514919	Clamp right 1810	0902514919
UMKN-1786323181	Spindle ass'y main shaft	1786323181
UMKN-1786323182	Spindle ass'y main shaft	1786323182
UMKN-0900843874	Bushing 10mm x 12mm x 15mm x flange 18mm	0900843874
UMKN-0901867396	Left gripper C2 PCO 1881	0901867396
UMKN-0900843176R	Rebuilt chain link assy	0900843176
UMKN-1070250771M	Right Axle/Shaft	1070250771
UMKN-1070250761M	Left Axle/Shaft	1070250761
UMKN-1786323211	Contact piece	1786323211
UMKN-1786324540	Intermediate piece	1786324540
UMKN-9102868394	Starwheel infeed	9102868394
UMKN-1800205437	Spindle tip shaft	1800205437
UMKN-0902126259	Shaft handle block-2	0902126259
UMKN-0901867395	Right gripper C2 PCO 1881	0901867395
UMKN-1099048180	Spring	1099048180
UMKN-0901092422	Compensation seal	0901092422
UMKN-1786333700	Lever ass'y	1786333700
UMKN-0902283441R	C3 Oven chain link maintenance program	0902283441
UMKN-0902821875R	C3 Oven chain link maintenance program	0902821875
UMKN-0903542009R	C3 Oven chain link maintenance program	0903542009
UMKN-0902823731	Pressure spring	0902823731
UMKN-0902819503	Belt pulley	0902819503
UMKN-0902823580	Sleeve	0902823580
UMKN-0901458399	Bush	0901458399
UMKN-0902823500	Washer/ring/disk	0902823500
UMKN-0902823243	Sleeve	0902823243
UMKN-0902823308	Sleeve	0902823308
UMKN-0902823222	Flat washer	0902823222
UMKN-0902719884	Cam roller	0902719884
UMKN-0901993571	Diffusor assy	0901993571
UMKN-0951699030	Large wear band	0951699030
UMKN-0951699031	Small wear band	0951699031
UMKN-1099047560	Outer spring	1099047560
UMKN-1099047550	Inner spring	1099047550
UMKN-1786330880	Bumper	1786330880
UMKN-0900842804M	Shaft - Chain link improved	0900842804
UMKN-0901478336	Washer	0901478336

UMKN-1786334110	Angle/Elbow	1786334110
UMKN-0403411621M	Improved C2 locking/unlocking cam follower	0403411621
UMKN-0901326956M	Gear wheel - sprocket for capper	0901326956
UMKN-1786273830	Central pin for transfer gripper	1786273830
UMKN-0901344528KR	Control device rebuilt set	0901344528
UMKN-0902744274	Cam roller	0902744274
UMKN-1099047660	Spring Compression D=17,0 LO=78,8	1099047660
UMKN-1786272090	Bolt	1786272090
UMKN-0901344364	Washer/ring/disk	0901344364
UMKN-1786333120	Adapter M56 x M42	1786333120
UMKN-0903571299M	Flange sleeve	0903571299
UMKN-0904638612	Guide ring 61.8 x 67 x 5.4	0904638612
UMKN-0901688329	Sleeve	0901688329
UMKN-0901344528	Control device	0901344528
UMKN-0902728565M	Support	0902728565
UMKN-0900679884M	Bolt	0900679884
UMKN-0902457364M	Pin	0902457364
UMKN-0904656458	Wear band 30.5 x 35.5 x 5.4	0904656458
UMKN-0904638613	Wear band 44.5 x 49.5 x 5.4	0904638613
UMKN-0904979616	Wear band 46 x 51 x 5.4	0904979616
UMKN-0904635704	Guide ring 62 x 67 x 5.4	0904635704
UMKN-0902488765	Guide ring 12 x 18 x 19.8	0902488765
UMKN-0903341212	Guide ring 12 x 24 x 21	0903341212

CONTACT INFORMATION

Hubert Pelletier

Business Development
Associate

+1 514-349-2493

Amir Bittar

Vice President Sales
Market Development Specialist

+1 514-962-9052

Robert Saba

Vice President Operations
Commercial Representative

+ 1 514-608-2297

sales@umallette.com

www.um-inc.com



Our partners



Covirep Sa

